	Subclass	ISSUE CLASSIFICATION
	Class	ISSUE CLA
50	3/87	- 6

BEST AVAILABLE COPY

PATENT NUMBER

U.S. **UTILITY** Patent Application

O.I.P.E. SCANNED

PATENT DATE

EXAMINER Nguyên APPLICATION NO. CONT/PRIOR CLASS SUBCLASS **ART UNIT** 403 2661 370 09/761144

Shantnu Sharma Patar Bretschneider Robert Constantin Mark Stewart

Circuit reestablishment and tear down in a highly available communication system

ISSUING CLASSIFICATION							
ORIGINAL	CROSS REFERENCE(S)						
CLASS SUBCLASS CLASS	- SUBCLASS (ONE SUBCLASS PER BLOCK)						
370 403 370	392						
INTERNATIONAL CLASSIFICATION							
HO 4L 12/28							
	· · · · · · · · · · · · · · · · · · ·						
国际国际企业 医动物 医二十二	医克里斯氏溶剂性的 化二二						
以各種其是在一個的學術學學	。 19 19 19 19 19 14 14 14 14 14 14 14 14 14 14 14 14 14						
为中国人们的人人。 · · · · · · · · · · · · · · · · · ·	Continued on Issue Stip Inside File Jacket						

TERMINAL DISCLAIMER	DRAWINGS		7 m 1 - 1	CLAIMS ALLOWED	
	Sheets Drwg.	Figs. Drwg.	Print Fig.	Total Claims	Print Claim for O.G
The term of this patent				NOTICE OF ALLOWANCE MAILED	
subsequent to(date)	(Assistant E	xaminer)	(Date)		
The term of this patent shall not extend beyond the expiration date of U.S Patent. No.	, i				1
	(Petmary Examiner)			ISSUE FEE	
				Amount Due	Date Paid
			(Date)		
☐ The terminalmonths of this patent have been disclaimed.				ISSUE BA	TCH NUMBER
	(Lagal Instruments Examiner)		(Date)		
WARNING: The information disclosed herein may be real possession outside the U.S. Patent & Trader	stricted. Unauthorized	disclosure may be	prohibited by the	United States Code Title :	35, Sections 122, 181 and 3

(Attached in pocket on right Inside flap)